

Corrigendum of Tender Call Notice No- 2798 Dated 28th October 2022

Based on the queries from some of the prospective bidders, below clarification and modification has been made with respect to the tender.

Sl. No.	Reference	Clause / Page No.	Current Provision	Amendment
1	Tender Document	1.3.3.2, Bid Form 1, Page 23	<p>Copy of the “e-payment” for an amount and other details as mentioned in Section 2 (BDS) already made by the Bidder as per the various e-payment options (credit card, debit card, net banking, etc.) available on the E-procurement Website towards “Bid Processing Fee”.</p> <p>This shall be a non-refundable fee.</p> <p>This shall be payable by all the Bidders, subject to any exemption as provided in Section 2 (BDS). In case of an exempt as admissible, the copy of the proof of exemption issued by an appropriate government authority (as applicable) shall be submitted.</p>	<p>Copy of the “e-payment” for an amount and other details as mentioned in Section 2 (BDS) already made by the Bidder as per the various e-payment options (credit card, debit card, net banking, etc.) available on the E-procurement Website towards “Bid Processing Fee”.</p> <p>This shall be a non-refundable fee.</p>
2	Tender Document	7.4, Page 85	Appendix to SOW–Off-grid Rooftop Solar PV System	Appendix to SOW– Rooftop Solar PV System
3	Tender Document	7.4.1.4, Page 87	Battery Bank	Battery Bank [for Off-Grid System]
4	Tender Document	7.4.1.4, Page 87	There will be one battery bank comprising of appropriate capacity for respective SPV Power Plant. The batteries should be T-Gel/VRLA Type and shall have a long service life. The cells should confirm IS	There will be one battery bank comprising of appropriate capacity for Package 1 SPV Power Plant. The batteries should be T-Gel/VRLA Type and shall have a long service life. The cells should confirm IS 15549/ IEC

			15549/ IEC 61427 and as per specification given below shall be provided.	61427 and as per specification given below shall be provided.																																									
			<table border="1"> <tr> <td>Battery Bank Capacity</td> <td>7.2 kWh</td> </tr> <tr> <td>Container</td> <td>Polypropylene Co-polymer/hard rubbers with carrying handle.</td> </tr> <tr> <td>Type</td> <td>Lithium ion Battery (LiFePO4)</td> </tr> <tr> <td>Self-Discharge</td> <td>Less than 3% per month at 30 degrees C</td> </tr> <tr> <td>Life expectancy</td> <td>3000 cycle duty at 27 degree C at 90% depth of discharge 5000 cycle duty at 50% discharge.</td> </tr> <tr> <td>Approval</td> <td>Batteries shall have to be approved by MNRE/NABL/BIS authorized test centers</td> </tr> <tr> <td>Service Life</td> <td>Should perform satisfactorily for a minimum period of 10 years under operating conditions as mentioned.</td> </tr> </table>	Battery Bank Capacity	7.2 kWh	Container	Polypropylene Co-polymer/hard rubbers with carrying handle.	Type	Lithium ion Battery (LiFePO4)	Self-Discharge	Less than 3% per month at 30 degrees C	Life expectancy	3000 cycle duty at 27 degree C at 90% depth of discharge 5000 cycle duty at 50% discharge.	Approval	Batteries shall have to be approved by MNRE/NABL/BIS authorized test centers	Service Life	Should perform satisfactorily for a minimum period of 10 years under operating conditions as mentioned.	<table border="1"> <tr> <td rowspan="2">Battery Bank Capacity</td> <td>Capacity of Plant (kWp)</td> <td>Battery Bank Voltage (V)</td> <td>Minimum Battery Bank Capacity (Ah)</td> </tr> <tr> <td>5</td> <td>48</td> <td>460</td> </tr> <tr> <td>Type</td> <td colspan="3">T-Gel/VRLA</td> </tr> <tr> <td>Self-Discharge</td> <td colspan="3">Less than 3% per month at 30 degrees C</td> </tr> <tr> <td>Life expectancy</td> <td colspan="3">1500 cycle duty at 27degree C at 80% depth of discharge 3000 cycle duty at 50% discharge.</td> </tr> <tr> <td>Approval</td> <td colspan="3">Batteries shall have to be approved by MNRE/NABL/BIS authorized test centers</td> </tr> <tr> <td>Service Life</td> <td colspan="3">Should perform satisfactorily for a minimum period of 5 years under operating conditions as mentioned.</td> </tr> </table>	Battery Bank Capacity	Capacity of Plant (kWp)	Battery Bank Voltage (V)	Minimum Battery Bank Capacity (Ah)	5	48	460	Type	T-Gel/VRLA			Self-Discharge	Less than 3% per month at 30 degrees C			Life expectancy	1500 cycle duty at 27degree C at 80% depth of discharge 3000 cycle duty at 50% discharge.			Approval	Batteries shall have to be approved by MNRE/NABL/BIS authorized test centers			Service Life	Should perform satisfactorily for a minimum period of 5 years under operating conditions as mentioned.		
Battery Bank Capacity	7.2 kWh																																												
Container	Polypropylene Co-polymer/hard rubbers with carrying handle.																																												
Type	Lithium ion Battery (LiFePO4)																																												
Self-Discharge	Less than 3% per month at 30 degrees C																																												
Life expectancy	3000 cycle duty at 27 degree C at 90% depth of discharge 5000 cycle duty at 50% discharge.																																												
Approval	Batteries shall have to be approved by MNRE/NABL/BIS authorized test centers																																												
Service Life	Should perform satisfactorily for a minimum period of 10 years under operating conditions as mentioned.																																												
Battery Bank Capacity	Capacity of Plant (kWp)	Battery Bank Voltage (V)	Minimum Battery Bank Capacity (Ah)																																										
	5	48	460																																										
Type	T-Gel/VRLA																																												
Self-Discharge	Less than 3% per month at 30 degrees C																																												
Life expectancy	1500 cycle duty at 27degree C at 80% depth of discharge 3000 cycle duty at 50% discharge.																																												
Approval	Batteries shall have to be approved by MNRE/NABL/BIS authorized test centers																																												
Service Life	Should perform satisfactorily for a minimum period of 5 years under operating conditions as mentioned.																																												
5	Tender Document	7.4.1.4, Page 88	<table border="1"> <tr> <td>Battery Bank Capacity</td> <td>19.2 kWh</td> </tr> <tr> <td>Container</td> <td>Polypropylene Co-polymer/hard rubbers with carrying handle.</td> </tr> <tr> <td>Type</td> <td>Lithium ion Battery (LiFePO4)</td> </tr> <tr> <td>Self-Discharge</td> <td>Less than 3% per month at 30 degrees C</td> </tr> <tr> <td>Life expectancy</td> <td>3000 cycle duty at 27degree C at 90% depth</td> </tr> </table>	Battery Bank Capacity	19.2 kWh	Container	Polypropylene Co-polymer/hard rubbers with carrying handle.	Type	Lithium ion Battery (LiFePO4)	Self-Discharge	Less than 3% per month at 30 degrees C	Life expectancy	3000 cycle duty at 27degree C at 90% depth	Not Applicable																															
Battery Bank Capacity	19.2 kWh																																												
Container	Polypropylene Co-polymer/hard rubbers with carrying handle.																																												
Type	Lithium ion Battery (LiFePO4)																																												
Self-Discharge	Less than 3% per month at 30 degrees C																																												
Life expectancy	3000 cycle duty at 27degree C at 90% depth																																												

				of discharge 5000 cycle duty at 50% discharge.																															
			Approval	Batteries shall have to be approved by MNRE/NABL/BIS authorized test centers																															
			Service Life	Should perform satisfactorily for a minimum period of 10 years under operating conditions as mentioned.																															
6	Tender Document	7.1.7, Page 64	Average annual turnover (as per QR Clause Error! Reference source not found.), <table border="1"> <thead> <tr> <th>Particulars</th> <th>Unit</th> <th>FY16-17</th> <th>FY17-18</th> <th>FY18-19</th> </tr> </thead> <tbody> <tr> <td>Annual turnover from solar business only#</td> <td>Lakh INR</td> <td>[insert]</td> <td>[insert]</td> <td>[insert]</td> </tr> <tr> <td>Average annual turnover from solar business only#</td> <td>Lakh INR</td> <td colspan="3">[insert]</td> </tr> </tbody> </table>		Particulars	Unit	FY16-17	FY17-18	FY18-19	Annual turnover from solar business only#	Lakh INR	[insert]	[insert]	[insert]	Average annual turnover from solar business only#	Lakh INR	[insert]			Average annual turnover (as per QR Clause Error! Reference source not found.), <table border="1"> <thead> <tr> <th>Particulars</th> <th>Unit</th> <th>FY19-20</th> <th>FY20-21</th> <th>FY21-22</th> </tr> </thead> <tbody> <tr> <td>Annual turnover from solar business only#</td> <td>Lakh INR</td> <td>[insert]</td> <td>[insert]</td> <td>[insert]</td> </tr> <tr> <td>Average annual turnover from solar business only#</td> <td>Lakh INR</td> <td colspan="3">[insert]</td> </tr> </tbody> </table>	Particulars	Unit	FY19-20	FY20-21	FY21-22	Annual turnover from solar business only#	Lakh INR	[insert]	[insert]	[insert]	Average annual turnover from solar business only#	Lakh INR	[insert]		
Particulars	Unit	FY16-17	FY17-18	FY18-19																															
Annual turnover from solar business only#	Lakh INR	[insert]	[insert]	[insert]																															
Average annual turnover from solar business only#	Lakh INR	[insert]																																	
Particulars	Unit	FY19-20	FY20-21	FY21-22																															
Annual turnover from solar business only#	Lakh INR	[insert]	[insert]	[insert]																															
Average annual turnover from solar business only#	Lakh INR	[insert]																																	
7	Tender Document	7.1.7, Page 64	Net Worth (as per QR Clause Error! Reference source not found.) (applicable in case of companies), <table border="1"> <thead> <tr> <th>Particulars</th> <th>Unit</th> <th>FY16-17</th> <th>FY17-18</th> <th>FY18-19</th> </tr> </thead> <tbody> <tr> <td>Aggregate value of the paid-up share capital</td> <td>Lakh INR</td> <td>[insert]</td> <td>[insert]</td> <td>[insert]</td> </tr> </tbody> </table> <p>.....</p>		Particulars	Unit	FY16-17	FY17-18	FY18-19	Aggregate value of the paid-up share capital	Lakh INR	[insert]	[insert]	[insert]	Net Worth (as per QR Clause Error! Reference source not found.) (applicable in case of companies), <table border="1"> <thead> <tr> <th>Particulars</th> <th>Unit</th> <th>FY19-20</th> <th>FY20-21</th> <th>FY21-22</th> </tr> </thead> <tbody> <tr> <td>Aggregate value of the paid-up share capital</td> <td>Lakh INR</td> <td>[insert]</td> <td>[insert]</td> <td>[insert]</td> </tr> </tbody> </table> <p>.....</p>	Particulars	Unit	FY19-20	FY20-21	FY21-22	Aggregate value of the paid-up share capital	Lakh INR	[insert]	[insert]	[insert]										
Particulars	Unit	FY16-17	FY17-18	FY18-19																															
Aggregate value of the paid-up share capital	Lakh INR	[insert]	[insert]	[insert]																															
Particulars	Unit	FY19-20	FY20-21	FY21-22																															
Aggregate value of the paid-up share capital	Lakh INR	[insert]	[insert]	[insert]																															
8	Tender Document	7.1.15, Page 73	We, the undersigned, attaching the copy of the Income Tax Return for the last three (3) assessment years for AY2020, AY2019 and AY2018.		We, the undersigned, attaching the copy of the Income Tax Return for the last three (3) assessment years for AY2022-23, AY2021-22 and AY2020-21.																														

9	Tender Document	2.1.4, Page 23	Bid validity period: One hundred and eighty (180) Days from the last date of Bid submission.			Bid validity period: Three hundred and sixty five (365) Days from the last date of Bid submission.																																		
10	NIT		<table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Events</th> <th>Schedule</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Date of publication of Tender Document (Tender Document) on E-procurement Website and OREDA Website</td> <td>28.10.2022</td> </tr> <tr> <td>2.</td> <td>Due date and time for submission of online copies of Technical Bid and Price Bid</td> <td>09.11.2022, Time: 5:00 PM</td> </tr> <tr> <td>3.</td> <td>Due date and time for submission of hard copies of Technical Bid for select Bid Forms only</td> <td>09.11.2022, Time: 5:00 PM</td> </tr> <tr> <td>4.</td> <td>Due date and time for the opening of Technical Bid for both online copies and hard copies, except Price Bid</td> <td>10.11.2022, Time: 3:30 PM</td> </tr> <tr> <td>5.</td> <td>Due date and time for the opening of online Price Bid, applicable only for the Bidders whose Technical Bids shall be responsive</td> <td>14.11.2022, Time: 3:30 PM</td> </tr> </tbody> </table>	Sl. No.	Events	Schedule	1.	Date of publication of Tender Document (Tender Document) on E-procurement Website and OREDA Website	28.10.2022	2.	Due date and time for submission of online copies of Technical Bid and Price Bid	09.11.2022, Time: 5:00 PM	3.	Due date and time for submission of hard copies of Technical Bid for select Bid Forms only	09.11.2022, Time: 5:00 PM	4.	Due date and time for the opening of Technical Bid for both online copies and hard copies, except Price Bid	10.11.2022, Time: 3:30 PM	5.	Due date and time for the opening of online Price Bid, applicable only for the Bidders whose Technical Bids shall be responsive	14.11.2022, Time: 3:30 PM	<table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Events</th> <th>Schedule</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Date of publication of Tender Document (Tender Document) on E-procurement Website and OREDA Website</td> <td>28.10.2022</td> </tr> <tr> <td>2.</td> <td>Due date and time for submission of online copies of Technical Bid and Price Bid</td> <td>11.11.2022, Time: 5:00 PM</td> </tr> <tr> <td>3.</td> <td>Due date and time for submission of hard copies of Technical Bid for select Bid Forms only</td> <td>11.11.2022, Time: 5:00 PM</td> </tr> <tr> <td>4.</td> <td>Due date and time for the opening of Technical Bid for both online copies and hard copies, except Price Bid</td> <td>14.11.2022, Time: 3:30 PM</td> </tr> <tr> <td>5.</td> <td>Due date and time for the opening of online Price Bid, applicable only for the Bidders whose Technical Bids shall be responsive</td> <td>18.11.2022, Time: 3:30 PM</td> </tr> </tbody> </table>	Sl. No.	Events	Schedule	1.	Date of publication of Tender Document (Tender Document) on E-procurement Website and OREDA Website	28.10.2022	2.	Due date and time for submission of online copies of Technical Bid and Price Bid	11.11.2022, Time: 5:00 PM	3.	Due date and time for submission of hard copies of Technical Bid for select Bid Forms only	11.11.2022, Time: 5:00 PM	4.	Due date and time for the opening of Technical Bid for both online copies and hard copies, except Price Bid	14.11.2022, Time: 3:30 PM	5.	Due date and time for the opening of online Price Bid, applicable only for the Bidders whose Technical Bids shall be responsive	18.11.2022, Time: 3:30 PM
Sl. No.	Events	Schedule																																						
1.	Date of publication of Tender Document (Tender Document) on E-procurement Website and OREDA Website	28.10.2022																																						
2.	Due date and time for submission of online copies of Technical Bid and Price Bid	09.11.2022, Time: 5:00 PM																																						
3.	Due date and time for submission of hard copies of Technical Bid for select Bid Forms only	09.11.2022, Time: 5:00 PM																																						
4.	Due date and time for the opening of Technical Bid for both online copies and hard copies, except Price Bid	10.11.2022, Time: 3:30 PM																																						
5.	Due date and time for the opening of online Price Bid, applicable only for the Bidders whose Technical Bids shall be responsive	14.11.2022, Time: 3:30 PM																																						
Sl. No.	Events	Schedule																																						
1.	Date of publication of Tender Document (Tender Document) on E-procurement Website and OREDA Website	28.10.2022																																						
2.	Due date and time for submission of online copies of Technical Bid and Price Bid	11.11.2022, Time: 5:00 PM																																						
3.	Due date and time for submission of hard copies of Technical Bid for select Bid Forms only	11.11.2022, Time: 5:00 PM																																						
4.	Due date and time for the opening of Technical Bid for both online copies and hard copies, except Price Bid	14.11.2022, Time: 3:30 PM																																						
5.	Due date and time for the opening of online Price Bid, applicable only for the Bidders whose Technical Bids shall be responsive	18.11.2022, Time: 3:30 PM																																						
11	Price Bid SLFMTTC	Row 9 &10	<p>We hereby agree to quote the levelized tariff of in INR/ kWh this Price Bid, which shall be inclusive of all applicable taxes.</p> <table border="1"> <thead> <tr> <th>Project Capacity (in kW)</th> <th>Quoted Project Cost (INR/ kWp)</th> </tr> </thead> <tbody> <tr> <td>[Capacity in kWp as per Annexure 7.2]</td> <td>[xx.xx] in INR/ kWp</td> </tr> </tbody> </table>			Project Capacity (in kW)	Quoted Project Cost (INR/ kWp)	[Capacity in kWp as per Annexure 7.2]	[xx.xx] in INR/ kWp	<p>We hereby agree to quote the project cost of in INR/ kWp this Price Bid, which shall be inclusive of all applicable taxes.</p> <table border="1"> <thead> <tr> <th>Project Capacity (in kW)</th> <th>Quoted Per Unit Project Cost (INR/ kWp)</th> <th>Quoted Total Project Cost (INR)</th> </tr> </thead> <tbody> <tr> <td>[Capacity in kWp as per Annexure 7.2]</td> <td>[xx.xx] in INR/ kWp</td> <td></td> </tr> </tbody> </table>			Project Capacity (in kW)	Quoted Per Unit Project Cost (INR/ kWp)	Quoted Total Project Cost (INR)	[Capacity in kWp as per Annexure 7.2]	[xx.xx] in INR/ kWp																							
Project Capacity (in kW)	Quoted Project Cost (INR/ kWp)																																							
[Capacity in kWp as per Annexure 7.2]	[xx.xx] in INR/ kWp																																							
Project Capacity (in kW)	Quoted Per Unit Project Cost (INR/ kWp)	Quoted Total Project Cost (INR)																																						
[Capacity in kWp as per Annexure 7.2]	[xx.xx] in INR/ kWp																																							
12	Price Bid Berhampur	Row 9 & 10	<p>We hereby agree to quote the levelized tariff of in INR/ kWh this Price Bid, which shall be inclusive of all</p>			<p>We hereby agree to quote the project cost of in INR/ kWp this Price Bid, which shall be inclusive of all</p>																																		

	University		applicable taxes.		applicable taxes.		
			Project Capacity (in kW)	Quoted Project Cost (INR/ kWp)	Project Capacity (in kW)	Quoted Per Unit Project Cost (INR/ kWp)	Quoted Total Project Cost (INR)
			[Capacity in kWp as per Annexure 7.2]	[xx.xx] in INR/ kWp	[Capacity in kWp as per Annexure 7.2]	[xx.xx] in INR/ kWp	