

Request for Selection (RFS) Document for Selection of Vendors for Design, Manufacture, Supply, Transport, Installation, Testing and Commissioning of Off-Grid Solar Photovoltaic Water Pumping Systems (SPWPS) of 1-7.5 HP capacities in the State of Odisha including complete system warranty and its repair and maintenance for 5 Years under

Component-B of PM-KUSUM scheme of MNRE, GoI

NIT No		2863							
Dt		04-Oct-23							
Name of comp	S. No.	Section/Title	Clause no	Page no	Existing Clause	Queries Raised/ Clarification asked	Rationale/Remarks	Clarification	Amendment
Jain Irrigation S	1	SECTION 2 SPECIAL CONDITIONS OF CONTRACT	Clause - 3 Technical Requirement and Testing	10	Only indigenously manufactured solar panels with indigenous solar cells and modules. Further, the motor-pump-set, controller and balance of system should also be manufactured indigenously.	Sir, indigenous cells availability is major concern to us, hence for execution of project kindly allow both type of cell i.e. indigenous and non-indigenous cells		Tender condition shall prevail	
	2	SECTION 3 STANDARD CONDITIONS OF CONTRACT	Clause - 31 Insurance	13	The Goods supplied under the Contract shall be fully insured in Indian Rupees against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. For delivery of goods at site, the insurance shall be obtained by the Contractor/selected Vendor, for an amount not less than the Contract Price of the goods from "warehouse to warehouse" (final destinations) on "All Risks" basis including War risks and strikes. The Comprehensive insurance of Solar Photo Voltaic Water Pumping System shall be provided for natural calamities, theft & burglary etc. during 5 years warranty period.	Sir, as a bidder we are responsible for providing insurance policy to Farmers, but providing material after incident without insurance company approval is total wrong process. Insurance co. first investing claim, then instruct for site visit, after comply all documents then they approve claim. In every claim pass first they are deducting minimum claim amount i.e. minimum 10000/- which will be borne by Bidder Company. We request you, we are manufacturer of solar pump sets not run insurance company hence please do not passed such loss claim in our account which cannot measurable. Farmer will take care assets/pump sets, if any incident is happened we will provide our service free of cost. Please consider and amend insurance clause.		The insurance taken by the vendor can be seen in three stages. (i) Insurance for supply of equipment (ii) Insurance of the equipment during project execution and (iii) Insurance of the equipment/ project during execution period. The Bidder shall have to ensure that these insurances have been taken as per the tender condition.	
	3	Annexure – A Technical Specification				Sir, as per tender technical document attached reference to SECI KUSUM tender, but document file attached is old one not enclosed updated Specification. Please find attached file of 17.02.2023 and update in tender document.		The revised document issued by SECI for Technical specification shall be used and has been attached as Annexure A for reference.	
Yazas Group	4	SECTION 4 QUALIFICATION REQUIRMENTS FOR BIDDERS	Clause - 40, 41, 42	13		Are MSME's allowed to participate in the above tender with 20 % of the total work allocated to them		MSME bidders registered in Odisha, who does not qualify the technical and financial criteria Of category-A, can participate as category B bidder. The category B bidders will be allocated 20% of total work and will be selected by withdrawal of Lottery. Category B bidders will be exempted from Bid Processing fee and EMD. Rest all bidders can participate as category A bidder.	Necessary Amendment issued for inclusion of category B Bidders
Everrenew Energy Private Limited	5	SECTION 1 INTRODUCTION & INVITATION FOR BIDS	Clause - 1 Background & Introduction	1	It will be mandatory to use indigenously manufactured solar panels with indigenous solar cells and modules. Further, the motor-pump-set, controller and balance of system should also be manufactured indigenously. The vendor has to declare the list of imported components used in the manufacturing of solar water pumping system.	Can we use Imported Pumps & Controller?		Tender condition shall prevail	
	6		Technical	20	1.Standard MMS of 4 Modules for 1 HP. 2. Standard MMS of 6 Modules for 2 HP. 3. Standard MMS of 10 Modules or Combination of standard MMS of 4 Modules and standard MMS 6 Modules for 3 HP. 4. Combination of two standard MMS of 8 Modules or combination of standard MMS of 10 Modules and standard MMS 6 Modules for 5 HP. 5. Combination of three standard MMS of 8 Modules or combination of two standard MMS of 10 Modules and one standard MMS 6 Modules for 7.5 HP	Tender recommendations on MMS combinations are based on Poly modules, however Mono modules shall also be considered. Standard MMS combinations for pumps with Mono PENC modules should be as follows : 1HP - 2/3/4MMS. 2HP - 4/6MMS. 3HP - 4/5/6. 5HP - 8/9/10MMS or 5MMS+5MMS, 7.5HP - 8MMS+5MMS or 6MMS+7MMS. 10 HP - 9MMS +8MMS		Both poly and mono crystalline modules are allowed	
	7		Technical	16	Auto Mode - Pump can ON/OFF automatically using the sensor data which are installed in the field by the beneficiary. (Cost of sensors will be worn by the beneficiary)	Please specify which type of sensors are to be considered		Please follow the specification issued vide OM No. 413/2018-SPV Division dated 02.02.2023	
	8		Technical	16	Timer Mode - Pump controller shall operate pump as per configured schedule using mobile application i.e., daily start time and running hours of pump.	Please specify working sequence and operations		Pumps controller shall operate as per the beneficiaries hours of irrigation and will be controlled through mobile application.	
	9		Format 7.13	95	Guidelines on Testing Procedure for Solar Photovoltaic Water Pumping System	Clarity is required on testing of the pumps. Is test certificate for Highest Head for a particular HP of pump validates the Lower heads of the same HP. Please clarify.		Test certificate for both high head and low head for a particular HP of pump will be required	
	10	SECTION 2 SPECIAL CONDITIONS OF CONTRACT	Clause - 3 Scope of work	11	Selected Vendor should keep necessary spare parts (minimum 2% of allotted quantity of each component of the complete system at the service center) at each district and should ensure proper maintenance of SPWPS to 5 years from date of installation of each SPWPS.	2% spares with service center in district should be considered if the installed Qty in that district is more than 2000 Pumps. Else we can club qty in neighboring district and open a common service center for 3 to 4 district making 2000 pump qty		This request is accepted	
	11	SECTION 2 SPECIAL CONDITIONS OF CONTRACT	Clause - 3 Scope of work	1	Each pump should be marked with Toll Free No. of successful bidder (Toll Free No. shall be affix on controllers and shall be readable for 5 years) operating in English/Hindi/Odia and specific pump number and same must have been captured by OREDA's web-based application at the time of installation at site. During the time of PDI of each component, test reports of equipment, warranty certificates, calibration certificates and any other certificates as specified in the guidelines and specification issued by MNRE should be provided by the bidder.	Request you to kindly provide clarification, do the bidders have to submit test reports along with tender? OR bidder has to upload test reports after the issue of LOA?		The Test report is to be submitted as per prescribed format 7.14.	
	12	SECTION 4 QUALIFICATION REQUIRMENTS FOR BIDDERS	Clause 41 Technical Eligibility Criteria	13	Experience required for the bidders for minimum 400 nos. of different capacities of Solar pumps to be counted for the past 7 years from the last date of bid submission or having EPC experience of 2 MW RSPS in the State with Joint Venture with an Module Manufacturer and/or experience for supply of module in Solar Pumping project in last 7 years.	Can we use Module or Pump Manufacturer supply experience as per SECI Kusum B Tender Conditions.		Please refer to clause 41 SECTION 4-QUALIFICATION REQUIRMENTS FOR BIDDERS OF RFS Document	
	13	SECTION 3 STANDARD CONDITIONS OF CONTRACT	Clause - 18 Instructions to Bidders for Structuring of Bid Proposals in Response to RFS	13	Certified copies of annual audited accounts for the last three financial year, i.e., FY 2022-23/2021-22/2020-21, and provisional audited accounts, along with certified copies of Balance Sheet, Profit & Loss Account, Schedules and Cash Flow Statement supported with bank statements as on the date at least 7 days prior to the due date of bid submission (if applicable), shall be required to be submitted.	Need approval to use provisional financial statements for the year 2022-23 certified by a practicing Chartered Accountant- Since our accounts are under audit or permit for use of financial statement for the year 2019-2020		The Bidder can submit provisional audit accounts for FY 2022-23 duly certified by an auditor	
	14	SECTION 3 STANDARD CONDITIONS OF CONTRACT	Clause - 21 Method of Submission of Response to RFS by the Bidder	13	If the Bidder has submitted bid online and fails to submit the DDs/Pay order against bid processing fee offline within 2 working days from last date of bid submission, then the same shall be treated as incomplete bid and Bid Processing fee submitted shall be encashed.	Considering the location of offline submission of EMD the time slot provided for submission only 2 days after due date, which is not possible practically. Hence kindly request to extends the same for 4-5 days.		Tender condition shall prevail	
15	SECTION 3 STANDARD CONDITIONS OF CONTRACT	Clause - 31 Insurance	13	The Goods supplied under the Contract shall be fully insured in Indian Rupees against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. For delivery of goods at site, the insurance shall be obtained by the Contractor/selected Vendor, for an amount not less than the Contract Price of the goods from "warehouse to warehouse" (final destinations) on "All Risks" basis including War risks and strikes. The Comprehensive insurance of Solar Photo Voltaic Water Pumping System shall be provided for natural calamities, theft & burglary etc. during 5 years warranty period.	Insurance clause should be applicable only if claim within 5 days of defects		Insurance clause should be applicable only if claimed within 15 days of defects and in case of theft, FR copy is to be furnished.		

	16		Technical - 3.3 Solar Photo Voltaic (SPV) Array	2	SPV arrays contains required number of PV modules of similar type and specifications, connected in series or parallel to obtain the required voltage or current output. The SPV water pumping system should be operated with a PV array of minimum capacity in the range of 900 Wp to 22500Wp, measured under Standard Test Conditions (STC). A Sufficient number of modules in series and parallel could be used to obtain the required voltage or current output. The power output of individual PV modules used in the SPV array, under STC, should be a minimum of 300 Wp, with adequate provision for tolerances measurement. Use of PV modules with higher power output is preferred	Required more clarity on Poly and Mono Panel, because as per last specifications, for 1hp & 2hp modules configuration is difficult to match. Min. 300wp is difficult in 19% efficiency requirement so please clarify between Mono and Poly modules requirement		Bidder is free to offer either poly or mono.	Minimum module efficiency has been amended to 17%(+/-) 110%.
Meera and ceiko Pumps Pvt. Ltd.	17	SECTION 3 STANDARD CONDITIONS OF CONTRACT	Clause -11 Bid Processing Fees	13	All MSMEs (Micro, Small and Medium Enterprises) notified as per clause 1.10.3 of GFR 2017 and as registered under NSIC/DIC/udyog Aadhaar only are only exempted from submission of Bid Processing Fee and EMD. For claiming this exemption, at the time of bid submission, MSMEs must provide valid proof of their being registered as MSME. However, upon empanelment under this RIS, selected MSMEs must submit Performance Bank Guarantee as per clause 12 of section III of RIS.	Shall we take EMD exemption we have MSME certificate and Udyog Aadhaar?		EMD is exempted to bidders registered as MSME and participating in the Bid under Category B Refer to clause - 13 SECTION 3 STANDARD CONDITIONS OF CONTRACT	Necessary Amendment issued for inclusion of category B Bidders
	18	SECTION 3 STANDARD CONDITIONS OF CONTRACT	Clause - 18 Instructions to Bidders for Structuring of Bid Proposals in Response to RIS	13	Certified copies of annual audited accounts for the last three financial year, i.e., FY 2022-23/2021-22/2020-21, and provisional audited accounts, along with certified copies of Balance Sheet, Profit & Loss Account, Schedules and Cash Flow Statement supported with bank statements, as on the date at least 7 days prior to the due date of bid submission (if applicable), shall be required to be submitted.	requested to provide both audited and provisional balance sheet FY-2022-2023		In the absence of audited balance sheet for FY 22-23, bidder can submit provisional balance sheet for FY 2022-23 duly certified by Chartered Accountant.	
	19	SECTION 3 STANDARD CONDITIONS OF CONTRACT	Clause - 19 Important Notes and Instructions to Bidders	13	All the financial transactions to be made with OREDA including delay charges, and any additional charges (if required), shall attract 18% GST on each transaction, irrespective of the same being mentioned in the RIS	What is the additional charges (is it OREDA service charges) the delay and additional charges should not exceed more than 5%		Additional charges are the charges the bidder might have to pay as penalty on the ground of non performance of the work	
Skmeintarnio	20	SECTION 4 QUALIFICATION REQUIREMENTS FOR BIDDERS	Clause - 40, 41, 42	33 - 38	-	We are a STARTUP Company Registered with Government of India, whether we can participate in this Tender?		Startups companies can bid under category B for the allocation of 20% of total work.	Necessary Amendment issued for inclusion of category B Bidders
Mecwin Technologies India Pvt Ltd	21	SECTION 4 QUALIFICATION REQUIREMENTS FOR BIDDERS	Clause - 40, 41, 42	33 - 38	-	We have presence in 19+ states in India. We have supplied 1500+ to Companies/Contractors working under RVSS department on Solar PV Integrated Dual Pump system through off Grid Mode project. Apart from this we have executed 200+ Solar PV Integrated Dual Pump system project on sub contract basis in the state of Odisha. Recently we have awarded (In JV) with Design, Engineering, Supply, Installation, Testing, Commissioning and acceptance of solar PV Integrated Dual Pump system through off Grid Mode work worth 40+Cr from RVSS Department. We are keen to work with OREDA, so kindly allow us to participate in tender.		Experience of working in the state of Odisha is a must. For qualification criteria of bidder please refer to clause 40 SECTION 4-QUALIFICATION REQUIREMENTS FOR BIDDERS OF RFS Document	
Greenco	22	SECTION 4 QUALIFICATION REQUIREMENTS FOR BIDDERS	Clause- 41 Technical Eligibility Criteria	35	The bidder should be, either of the following: i.Manufacturer of Solar PV Module or ii.Manufacturer of Solar Pump or iii.Manufacturer of Solar Pump Controller using indigenous technology or iv.EPC of 'similar works' in Joint venture with Solar PV Module Manufacturer or Solar Pump Manufacturer or Manufacturer of Solar Pump Controller using indigenous technology. Technical Eligibility Criteria Experience required for the bidders for minimum 400 nos. of different capacities of Solar pumps to be counted for the past 7 years from the last date of bid submission or having EPC experience of 2 MW RSPS in the State with Joint Venture with an Module Manufacturer and/or experience for supply of module in Solar Pumping project in last 7 years.	Kindly consider similar works' executed by the EPC firm individually rather than with works done in JV.		Tender condition shall prevail	Para 2 of section 4 clause41 is amended as follows. The bidder should be, either of the following: i. Manufacturer of Solar PV Module or ii. Manufacturer of Solar Pump or iii. Manufacturer of Solar Pump Controller using indigenous technology or iv. EPC of 'similar works' or (v) EPC of 'similar works' in Joint venture with Solar PV Module Manufacturer or Solar Pump Manufacturer or Manufacturer of Solar Pump Controller using indigenous technology.
	23	SECTION 4 QUALIFICATION REQUIREMENTS FOR BIDDERS	Clause- 41 Technical Eligibility Criteria	35	'Similar Works' means - Design, Supply, Erection, Testing and Commissioning of standalone (off-grid) solar PV based water pump sets or Solar Rooftop System in the State. Experience required for the bidders for minimum 400 nos. of different capacities of Solar pumps to be counted for the past 7 years from the last date of bid submission or having EPC experience of 2 MW RSPS in the State with Joint Venture with an Module Manufacturer and/or experience for supply of module in Solar Pumping project in last 7 years.	Experience required for the bidders for minimum 250 nos. of different capacities of Solar pumps to be counted for the past 7 years from the last date of bid submission or having EPC experience of 2 MW RSPS in the State by the firm individually in last 7 years.		-	The clause 41 under Section 4 is amended as follows: Experience required for the bidders for minimum 400 nos. of different capacities of Solar pumps to be counted for the past 5 years from the last date of bid submission or having EPC experience of 2 MW RSPS in the State of Odisha with Joint Venture with an Module Manufacturer and/or experience for supply of module in Solar Pumping project in last 5 years.
BALAJI SOLAR SYSTEMS	24	SECTION 3 STANDARD CONDITIONS OF CONTRACT	Clause - 14 Performance Bank Guarantee (PBG)	13	Bidders selected by OREDA based on this RIS shall submit to OREDA, a Performance Guarantee for a value @ 3% of the amount equivalent to the total allocation (as per Annexure-E). It may be noted that Successful Bidders shall submit the Performance Guarantee according to the Format 7.3C with a validity period up to (& including) the date as on 24 months from placement of award by OREDA. Validity of PBG shall be extended by the vendor for every year for the first five year. Further, OREDA reserves the right to encash the existing PBG, in case the vendors doesn't renew/extend the existing PBG at-least 30 days in advance	Being Local MSME we are requesting you to allow for submission of 25% of the 10% of the amount.		Necessary Amendment issued for inclusion of category B Bidders	
	25	SECTION 4 QUALIFICATION REQUIREMENTS FOR BIDDERS	Clause - 40 General Eligibility Criteria	13	The Bidder shall be a Company or a Limited Liability Partnership as defined	Can The Bidder be a Partnership Firm?		Please refer to clause 40 SECTION 4-QUALIFICATION REQUIREMENTS FOR BIDDERS OF RFS Document	
	26	SECTION 4 QUALIFICATION REQUIREMENTS FOR BIDDERS	Clause- 41 Technical Eligibility Criteria	35	The bidder should be, either of the following: i.Manufacturer of Solar PV Module or ii.Manufacturer of Solar Pump or iii.Manufacturer of Solar Pump Controller using indigenous technology or iv.EPC of 'similar works' in Joint venture with Solar PV Module Manufacturer or Solar Pump Manufacturer or Manufacturer of Solar Pump Controller using indigenous technology.	As we are EPC Contractor, kindly allow us to participate the above tender in our individual capacity without any Joint Venture		Bidder making the technical and financial criteria can participate either individually or consortium.	

	27	SECTION 4 QUALIFICATION REQUIREMENTS FOR BIDDERS	Clause 41 Technical Eligibility Criteria	35	Experience required for the bidders for minimum 400 nos. of different capacities of Solar pumps to be counted for the past 7 years from the last date of bid submission or having EPC experience of 2 MW RSPS in the State with Joint Venture with an Module Manufacturer and/or experience for supply of module in Solar Pumping project in last 7 years.	Being an EPC Contractor we have experience for supply and installation of 300 Nos. of Solar Pumping Systems of different capacity both for solar drinking systems and Irrigation systems in the state of Odisha in last 7 years. Kindly reduce the experience of 400 Nos. of pumps to 300 Nos. of Pumps and allow us to participate the tender in individual capacity not any Joint Venture with Module/Pump/Controller Manufacturer.		Bidder can participate under category B for allocation of 20% of total work further minimum years of experience of the bidder has been amended to 5 years. Rest of the conditions being unchanged.	Necessary Amendment issued for inclusion of category B Bidders
Hi Tech Traders	28	SECTION 4 QUALIFICATION REQUIREMENTS FOR BIDDERS	Clause - 40, 41, 42	33 - 38	-	It been 4 Years we are working in a solar industry we want to get register as a vendor on PM KUSUM YOJANA and work under this scheme Can us please guide me the details for registration and the eligibility for the same?		Bidder can participate under category B for allocation of 20% of total work further minimum years of experience of the bidder has been amended to 5 years. Rest of the conditions being unchanged.	Necessary Amendment issued for inclusion of category B Bidders
NACOF INDIA LI	29					The Bidder should be either a Company registered in India, under the Companies Act 1956/2013 or a Limited Liability Partnership registered under Limited Liability Partnership Act, 2008 or Partnership Firm Registered under Indian Partnership Act, 1932 or Multi State Cooperative Societies Registered under the Multi State Societies Act of 2002. Company registered under the Companies Act 1956/2013 should furnish Certificate of Incorporation, Memorandum of Association and Articles of Association and Limited Liability Partnership should furnish Certificate of Incorporation and latest Limited Liability Partnership Agreement/Deed as per Limited Liability Partnership Rules, 2009 as proof for their claim. A Multi State Cooperative Society should submit the registration under the Multi State Cooperative Act 2002. In case the Bidder is not an OEM then the bidder should submit a Manufacturer Authorisation Form(MAF) from the OEM that the bidder is quoting.		Tender condition shall prevail	
	30	SECTION 4 QUALIFICATION REQUIREMENTS FOR BIDDERS	Clause 41 Technical Eligibility Criteria	35	Experience required for the bidders for minimum 400 nos. of different capacities of Solar pumps to be counted for the past 7 years from the last date of bid submission or having EPC experience of 2 MW RSPS in the State with Joint Venture with an Module Manufacturer and/or experience for supply of module in Solar Pumping project in last 7 years.	Related to PM KUSUM work experience in Odisha it is requested that the criteria should be changed to allow bidders who have already established presence in Odisha for other businesses for at least 5 yrs. and have done similar work under PM KUSUM in other states or have work orders for establishing Solar Power plants above 50MW in any states of India		Experience of working in the state of Odisha is a must and minimum years of experience of the bidder has been reduced to 5 years	
Shanti Associate	31	SECTION 4 QUALIFICATION REQUIREMENTS FOR BIDDERS	Clause - 40 General Eligibility Criteria	13	The Bidder shall be a Company or a Limited Liability Partnership as defined.	Proprietorship firm may be allowed?		Proprietorship firms can participate under category B for allocation of 20% of work.	Necessary Amendment issued for inclusion of category B Bidders
	32	SECTION 4 QUALIFICATION REQUIREMENTS FOR BIDDERS	Clause- 41 Technical Eligibility Criteria	35	The bidder should be, either of the following: i.Manufacturer of Solar PV Module or ii.Manufacturer of Solar Pump or iii.Manufacturer of Solar Pump Controller using indigenous technology or iv.EPC of 'similar works' in Joint venture with Solar PV Module Manufacturer or Solar Pump Manufacturer or Manufacturer of Solar Pump Controller using indigenous technology.	Proprietorship firm may be allowed?		Proprietorship firms can participate under category B for allocation of 20% of work.	Necessary Amendment issued for inclusion of category B Bidders
	33		3.3.4 Annexure A	2	The minimum module efficiency should be minimum 19 percent	The minimum module efficiency should be minimum 17 percent		Minimum module efficiency has been amended to 17%	Cluse 3.3.4 Annexure A is amended as follows: The minimum module efficiency shall be 17 percent and fill factor shall be more than 75 percent
Surya International Enterprise Pvt. Ltd.	34	SECTION 4 QUALIFICATION REQUIREMENTS FOR BIDDERS	Clause- 41 Technical Eligibility Criteria	35	The bidder should be, either of the following: i.Manufacturer of Solar PV Module or ii.Manufacturer of Solar Pump or iii.Manufacturer of Solar Pump Controller using indigenous technology or iv.EPC of 'similar works' in Joint venture with Solar PV Module Manufacturer or Solar Pump Manufacturer or Manufacturer of Solar Pump Controller using indigenous technology. 'Similar Works' means - Design, Supply, Erection, Testing and Commissioning of stand alone (off-grid) solar PV based water pump sets or Solar Rooftop System in the State. Experience required for the bidders for minimum 400 nos. of different capacities of Solar pumps to be counted for the past 7 years from the last date of bid submission or having EPC experience of 2 MW RSPS in the State with Joint Venture with an Module Manufacturer and/or experience for supply of module in Solar Pumping project in last 7 years.	1. Kindly clarify about in the State. Means in Odisha or any other state 2. If we show similar works experience in any state as a single bidder without JV then it will consider or not 3. Experience of module supply in Solar Pumping projects asked but there is no details of where it might have been supplied. Like any govt sector or private sector etc.		(1) the state mean Odisha (2) Similar work experience in state of Odisha shall only be accepted. (3) Module supply may have been done in the state of Odisha to any state government body	
	35	SECTION 5 BID EVALUATION AND SELECTION OF PROJECTS	Clause - 44 Techno-Commercial Evaluation of Bidders (Step 1)	36	Bid opening (online) will be done only after the deadline for submission of pass-phrases in the Tender Wizard portal. For e.g., if the bid submission deadline is 18:00 hrs. on 09.08.2023, the online bid opening will be conducted on 12.08.2023. In case of the above deadline being a holiday, the bids will be opened on the next working day	Here kindly clarify Pass-phrases means		The clause is deleted	The Clause - 44 Techno-Commercial Evaluation of Bidders (Step 1) is deleted
	36	SECTION 5 BID EVALUATION AND SELECTION OF PROJECTS	Clause - 45 Financial Bid Evaluation (Step 2)	36	In this step evaluations of Techno-Commercially Qualified Bids shall be done based on the "Fixed Price", quoted by the Bidder for each line item (i.e., for each type of pump) as per price bid format Annexure-D to the RIS (i.e., for each type of pump) in the Electronic Form of Financial Bid.	Do we have to quote the rates for all the capacities/types or can we choose any specific capacities/types of pumps?		The bidder can quote for any specific type of pump and capacity.	
	37	SECTION 3 STANDARD CONDITIONS OF CONTRACT	Clause - 11 Bid Processing Fees	13	All MSMEs (Micro, Small and Medium Enterprises) notified as per clause 1.10.3 of GFR 2017 and as registered under NSIC/DIC/Udyog Aadhaar only are only exempted from submission of Bid Processing Fee and EMD. For claiming this exemption, at the time of bid submission, MSMEs must provide valid proof of their being registered as MSME. However, upon empanement under this RIS, selected MSMEs must submit Performance Bank Guarantee as per clause 12 of section III of RIS.	EPC as a Lead Bidder is an MSME registered company and will claim exemption for Bid processing fees & EMD. Does another consortium member need to be an MSME registered company ?		Only the lead Bidder shall be an MSME to avail these exemptions	
	38					Kindly specify the GST rate that shall be applicable on Basic cost?		GST shall be applicable as per the Gol applicable rate and amended from time to time	

39	SECTION 3 STANDARD CONDITIONS OF CONTRACT	Clause - 39 Roles and Responsibilities of OREDA as an Implementation Agency	13	OREDA will be responsible for the following activities: i.Demand aggregation for solar Agriculture pumps through OLIC, Govt of Odisha. ii.Prepare proposal and submit to MNRE for sanction iii.Oversee installation of systems. iv.Inspection of installed systems and online submission of completion reports to MNRE along with availability of the accurate data of the parameters of the SPWPS on the central portal of the MNRE. v.Submission of utilization certificates and audited statement of expenditure through EAT module and disbursement of MNRE CFA. vi.Online submission of monthly and quarterly progress reports. vii.Ensure project completion within the given timelines and compliance of MNRE Guidelines and Standards. viii.Online and offline maintenance for records. ix.Real time monitoring through dedicated web-portal which is to be maintained by OREDA. x.Performance monitoring of installed system through third party xi.Ensure compliance of CMC and training of locals by the vendors. xii.Carrying out publicity of the scheme so as to increase awareness, for which purpose advice of MNRE may also be adopted apart from its own publicity. xiii.Any other activity to ensure successful implementation of the programme.	We understand that Beneficiary share will be collected by The OREDA and entire payment shall be disbursed by OREDA?		Yes, the understanding is correct	
40				-	Can a pump manufacturer/Panel manufacturer enter into consortium with multiple EPCs/SIs and submit the tender?		The Bidder can submit only a single bid either individually or in JV/ consortium. Refer clause 45	
41	RFS	BID INFORMATION SHEET (F)BID PROCESSING FEE	Page No. 3 of 106	Amount: INR 12,390/- (Indian Rupees Twelve Thousand Three Hundred Ninety Only) including GST, to be submitted either through NEFT/RTGS transfer in the account of OREDA, or in the form of DD/Pay Order along with the response to RFS in favour of "Chief Executive, OREDA", payable at Bhubaneswar.		Typo Error in CHIEF EXECUTIVE.	The Bidder understanding is correct	Necessary correction done to "BID INFORMATION SHEET (F)BID PROCESSING FEE". The clause can be read as follows: Amount: INR 12,390/- (Indian Rupees Twelve Thousand Three Hundred Ninety Only) including GST, to be submitted either through NEFT/RTGS transfer in the account of OREDA, or in the form of DD/Pay Order along with the response to RFS in favour of "Chief Executive, OREDA", payable at Bhubaneswar.
42	RFS	(G) EARNEST MONEY DEPOSIT (EMD)	Page no. 4 of 106	Amount: As per clause 11 of section III of this RFS to be submitted in the form of Bank Guarantee/Payment on Order Instrument, along with the Response to RFS.	Amount: As per clause 13 of section III of this RFS to be submitted in the form of Bank Guarantee/Payment on Order Instrument, along with the Response to RFS.	Typo Error in clause no.	The Bidder understanding is correct	Necessary correction done to (G) EARNEST MONEY DEPOSIT (EMD): As per clause 13 of section III of this RFS to be submitted in the form of Bank Guarantee/Payment on Order Instrument, along with the Response to RFS.
43	RFS	(H) PERFORMANCE BANK GUARANTEE	Page no. 4 of 106	Amount: As per clause 12 of section III of this RFS to be submitted in the form of Bank Guarantee/Payment on Order Instrument, along with the Response to RFS.	Amount: As per clause 14 of section III of this RFS to be submitted in the form of Bank Guarantee/Payment on Order Instrument, along with the Response to RFS.	Typo Error in clause no.	The Bidder understanding is correct	Necessary correction done to (H) PERFORMANCE BANK GUARANTEE: As per clause 14 of section III of this RFS to be submitted in the form of Bank Guarantee/Payment on Order Instrument, along with the Response to RFS.
44	RFS	3.2 Installation and Commissioning b.	page no. 10 of 106	Selected vendors have to submit monthly consent of beneficiaries in their favor to OREDA for which OREDA's will be Notice to Proceed and for this, vendor shall complete the installation and commissioning of SPWPS within 120 days from date of issuance of NTP.		It is requested to consider that; 1) NTP shall be issued after deposition of farmer's share with SIA as considered in previous tenders also through various amendments. 2) The farmer's consent process/vendor selection process should be online either at the time of application or in later stage (where applications are already received). This shall avoid the multiple consent by farmers in offline mode to more than one vendor.	The PM KUSUM B scheme execution is not based on marketing mode. The selection of vendor and allocation of work order will be based on tendering process and will be in the scope of OREDA.	
45	RFS	Installation and Commissioning	page no. 11 of 106	Vendor shall comply with all applicable regulatory and statutory norms. Vendor must obtain approval/ NOC from appropriate Govt body for implementing the project in each selected village.		Kindly delete this clause as; the solar pumps are getting installed at farmer's site not at any gov't property. The farmer's consent to own at its farmland is itself an NOC.	Tender condition shall prevail	
46	RFS	Installation and Commissioning	page no. 11 of 106	i. Selected vendor should have finalized sub bidders and Purchase order for all materials such as PV Modules, Structure, Pump, Controllers, etc. within 30 days from date of award of contract and unpriced copy of such award letter/Purchase order will be submitted within 30 days from date of issuance of award.		Please clarify scope to be covered by sub-bidder, if any.	Scope of work of sub bidders, if any, shall be responsibility of main bidder	
47	RFS	Installation and Commissioning j	page no. 11 of 106	Vendor should commission minimum pumps/ quarter as defined above at Clause 3.2b of Scope of work. Vendor must submit handing over certificates in the format prescribed by MNRE.		Please clarify this point and also kindly provide the handing over certificate format.	Vendor shall submit proof of completion of work and handing over of installed pump to the beneficiaries in a format as prescribed by MNRE. The specific format of Joint Commissioning Certificate(JCC) will be provided with Work Order.	
48	RFS	Installation and Commissioning m	page no. 11 of 106	The selected vendors shall take all necessary permits, approvals and licenses, insurance etc., provide training and such other items and services required to complete the scope of work mentioned above.		Please elaborate in details which type of permits, approvals and licenses is required as the same was not mentioned in previous tenders. We suggest deleting this clause; as based on our previous experience, no such permits/approvals/licenses were been required earlier to execute solar pump program.	Wherever necessary the bidders shall be responsible to obtain permits/approvals/licenses to complete the work	
49	RFS	3.4 Operation & Maintenance (O&M), Training, Awareness and Sensitization b.	page no. 12 of 106	b. Any complaint registered /service calls received should be attended at the earliest and the system should be repaired/restored/ replaced within 3 days from date of complaint received/informed to the vendor.	b. Any complaint registered /service calls received should be attended at the earliest and the system should be repaired/restored/ replaced within 3 working days from date of complaint received / informed to the vendor.	-		The clause 3.4 (b) is amended as follows: Any complaint registered/service calls received should be attended at the earliest and the system should be repaired/restored/ replaced within 7 days from date of complaint received/informed to the vendor.
50	RFS	3.4 Operation & Maintenance (O&M), Training, Awareness and Sensitization g.	page no. 13 of 106	g. Vendors will mandatorily provide CMC for a period of 5 years from the date of commissioning of the systems including insurance coverage for the installed systems against natural calamities and theft. CMC will include inspection by Vendor at least once in a quarter and submission of quarterly inspection report of the installed pumps as per prescribed format. Selected Vendor shall provide a copy of valid insurance certificate of SPWPS to the beneficiary and same shall be renewed every year.		1) As RMS is already providing with each SPWS, hence it is requested to kindly eliminate quarterly inspection at site during the CMC period. The bidders are already providing their toll-free no. during the installation at controller through which farmers/beneficiaries can log their complains also.	Tender condition shall prevail	
51	RFS	3.4 Operation & Maintenance (O&M), Training, Awareness and Sensitization h.	page no. 13 of 106	h. Vendors have to provide the Remote Monitoring System (RMS) as per Annexure-D (RMS Communication and Security Architecture- PM KUSUM National Portal) of the RFS with all the SPWPS installed under the scheme. Further, vendor has to maintain the RMS in working condition for the period of 5 years and RMS systems shall push the accurate data of the parameters as specified in the specification and guidelines of the scheme as per Annexure-D (RMS Communication and Security Architecture- PM KUSUM National Portal), failing which the installation of the system will not be accepted by OREDA.		It is requested to clarify the case arised, if there is no network available in any remote area.	Specific guidelines issued by MNRE will be followed under such conditions	

52	RFS	3.4 Operation & Maintenance (O&M), Training, Awareness and Sensitization i.	page no. 13 of 106	i. Vendor shall ensure that the local training, awareness and sensitization campaigns on usage of the SPWPS are conducted.	i. vendor shall ensure the training to the beneficiary owning the solar pump for it's easy operation. The awareness and sensitization campaigns on SPWPS shall be in scope of SIAs only as per the PM-KUSUM Scheme guidelines.	The local awareness program/ campaigning's must be in the scope of SIAs only.	Tender condition shall prevail	
53	RFS	8 Performance Monitoring page no. 14 of 106	page no. 15 of 106	8 Performance Monitoring Selected Vendor must ensure working of minimum of 95% of total installed SPWPS at any point of time. Remote monitoring system shall be installed integrated with the SPWPS controllers rather than having as a separate unit through an integral arrangement and it should be capable of providing accurate live status/parameters on State portal maintained by concern SIA and on central portal maintained by MNRE. Detailed requirements of Remote Monitoring System along with minimum performance requirements are brought out as per Annexure-A.		Please clarify that, in case state portal are not working due to any breakdowns then how to ensure RMS data of minimum 95% of total installed SPWPS.	Specific guidelines issued by MNRE will be followed under such conditions	
54	RFS	9 Commissioning of Projects	page no. 135 of 106	9 Commissioning of Projects Selected vendors must submit monthly consent of beneficiaries in their favors to OREDA for which OREDA will give notice to proceed and for this selected vendor shall complete the installation and commissioning of allocated SPWPS within 120 days from issuance of notice to proceed. Commissioning of the SPWPS shall be carried out by the vendor in line with the detailed procedure as per clause 3.2 of section II of this RFS. The concerned JREDA may authorize any individual or committee or organization to witness and validate the installation/commissioning on site(s). Commissioning certificates shall be issued by the concerned JREDA after successful commissioning of allotted SPWPS for any particular vendor. JREDA/MNRE authorized representative may also be allowed for the inspection/ commissioning if required.	9 Commissioning of Projects Selected vendors must submit biweekly consent of beneficiaries in their favours to SIA for which SIA will give notice to proceed after collecting the beneficiary share	Since taking consent under market mode is a continuous process, Hence it is requested to kindly change the monthly submission of consent to bi-weekly submission in online-mode. It shall lead to speed up the implementation of the program The NTP shall be issued after the collection of beneficiary share by SIAs.		Clause 9 is amended as follows: Selected vendors must submit, fortnightly, consent of beneficiaries in their favors to OREDA for which OREDA will give notice to proceed and for this selected vendor shall complete the installation and commissioning of allocated SPWPS within 120 days from issuance of notice to proceed. Commissioning of the SPWPS shall be carried out by the vendor in line with the detailed procedure as per clause 3.2 of section II of this RFS. OREDA may authorize any individual or committee or organization to witness and validate the installation/commissioning on site(s). Commissioning certificates shall be issued by the concerned OREDA after successful commissioning of allotted SPWPS for any particular vendor. OREDA/MNRE authorized representative may also be allowed for the inspection/ commissioning if required.
55	RFS	13	page no. 16 of 106	Bank Guarantee/ Payment on Order Instrument (POI) against Earnest Money Deposit (EMD)		As per the OM dated 2nd February, 2022 issued by Procurement Policy Division, Dept. Of Expenditure, Ministry of Finance; It is requested to kindly consider Insurance Surety Bond also as part of EMD/Bid Security. (The OM is attached for reference.)	Tender condition shall prevail	
56	RFS	13	page no. 16 of 106	Bidder shall submit Earnest Money Deposit (EMD) in the form of Bank Guarantee for an amount of Rs Fifteen Lakh /-. (as per Annexure-E) according to Format 7.3A/ Format 7.3B and valid for 27 months from the last date of bid submission, shall be submitted by the Bidder along with their bid, failing which the bid shall be summarily rejected.		We are request to the validity of BG at least minimum of 12 months from the last date of bid submission and share the details for in whom favour the BG prepare.	Tender condition shall prevail	
57	RFS	13 Forfeiture of EMD: b	Page no. 17 of 106	b. In case, OREDA issues LoA to the Selected Vendor and if the Selected Vendor does not submit the Performance Bank Guarantee within the stipulated time period (i.e. 15 days from issuance of LoA);		The time of PBG submission it should be at least 30 days.	Tender condition shall prevail	
58	RFS	14	Page no. 18 of 106	14.1 Bidders selected by JREDA based on this RFS shall submit to the JREDA, a Performance Guarantee for a value @ 3% of the amount equivalent to the 6% of the value of total allocation or 25 numbers of SPWPS, whichever is higher subject to a maximum of 1000 pumps. For simplification, PBG requirement for cumulative capacity is as per Annexure-E. However, if total number of SPWPS awarded to vendor is more than 25 nos. of SPWPS or 6% of the value of total allocation. Along with the first list of consent from beneficiaries in vendor's favor, vendor shall submit another PBG equivalent to differential value of order as per notice to proceed (NTP). It may be noted that Successful Bidders shall submit the Performance Guarantee according to the Format 7.3C with a validity period up to (& including) the date as on 24 months from placement of award by JREDA. Validity of PBG shall be extended by the vendor for every year for the first five years. Further, JREDA reserves the right to encash the existing CPB, in case the vendors doesn't renew/extend the existing PBG at least 30 days in advance.		It is requested to kindly consider the PBG validity of 1 year to be rolled over every year for the first five years like the previous tenders.		The clause 14 is amended as follows: For Category A Bidders Bidders selected by OREDA based on this RFS shall submit to OREDA, a Performance Guarantee for a value @ 10% of the amount equivalent to the total allocation. For Category B Bidders Bidders selected under this category shall submit a Performance Bank Guarantee for a value @ 2.5% of the amount equivalent to the total allocation. It may be noted that Successful Bidders shall submit the Performance Guarantee according to the Format 7.3C with a validity period up to (& including) the date as on 12 months from placement of award by OREDA. Validity of PBG shall be extended by the vendor for every year for the first five year. Further, OREDA reserves the right to encash the existing PBG, in case the vendors doesn't renew/extend the existing PBG at least 30 days in advance.
59	RFS	15	page no. 19 of 106	The implementation work on ground should start within 15 days from the date of Notice to Proceed from SIA.	SIA shall issue the NTP after the collection of beneficiary share. The implementation work on ground should start within 15 days from the date of Notice to Proceed from SIA. NTP shall contain following minimum information for selected vendor: 1) Farmer Name, 2) Mobile No., 3) Place, 4) Pump capacity, type & category, 5) Dynamic Head (mtrs.), 6) Application No. (Or ID).	Like the previous tender (though amendment); The NTP should be issued by SIA to selected vendor after collecting the beneficiary share. Since NTPs shall being issued after the consent & site survey acceptance, hence every NTP must contain minimum following information: 1) Farmer Name, 2) Mobile No., 3) Place, 4) Pump capacity, type & category, 5) Dynamic Head (mtrs.), 6) Application No. (Or ID).	Details of beneficiary shall be collected as per MNRE guidelines	
60	RFS	17 Minimum Paid Up Share Capital to be Held by Project Promoter	Page No. 20 of 106	17.1 The Bidder shall provide complete information in their bid in reference to this RFS about its promoters and upon issuance of LoA, the Successful Bidder/Selected Vendor shall indicate its shareholding in the company indicating the controlling.		Please clarify that; Such information is required from all the bidders or only by those who are participating in bid through JV/Consortium or through any project company.	This is applicable to bidders participating through JV/Consortium	
61	RFS	18 Instructions to Bidders for Structuring of Bid Proposals in Response to RFS	Page 21 of 106	xiv. Declaration for submitting the test certificate as per MNRE technical specifications for solar water pump sets issued in 2019 as per Format 7.14.	xiv. Declaration for submitting the test certificate as per MNRE technical specifications for solar water pump sets issued in 22.03.2023 as per Format 7.14.	We request to please amend it.		The clause 18 (iv) is amended as follows: Declaration for submitting the test certificate as per MNRE technical specifications for solar water pump sets issued in 22.03.2023 as per Format 7.14.
62	RFS	18 xvi. Attachments ii	Page 22 of 106	Certificate of Incorporation of Bidding Company/ all member companies of Bidding Consortium.	Certificate of Incorporation of Bidding Company/ all member companies of Bidding Consortium. The manufacturers also submit Factory license issued according to Factory Act, 1948 for the product being manufactured by them. All the general bidders (except MSME) must submit the copy of IEM acknowledgment certificate issued by DPIIT, Ministry of Commerce & Industries.	The only incorporation certificate does not fulfill the requirement of a manufacturer as it is only the registration of the company. In addition to incorporation certificate, Factory license must be asked from the manufacturers. Every manufacturer has to own Factory license according to Factory Act, 1948 for manufacturing setup in any part of country. Similarly, IEM acknowledgment (issued by DPIIT, Ministry of commerce & Industries) is also mandatory for the manufacturing industries having the annual turnover of more than Rs. 250 Cr. or/and having an investment in plant and machinery of Rs 50 Crore and above.		The clause 18 xvi (ii) is amended as follow: Certificate of Incorporation of Bidding Company/ all member companies of Bidding Consortium. The manufacturers also submit Factory license issued according to Factory Act, 1948 for the product being manufactured by them. All the general bidders (except MSME) must submit the copy of IEM acknowledgment certificate issued by DPIIT, Ministry of Commerce & Industries.

63	RFS	18 xvi. Attachments ix	Page 22 of 106	ix. Bidders must submit following documentary evidence that components/SPWPS systems will be manufactured indigenously		We request you to please specify the meaning of components in this point.	By the term component, here, we mean, pumps, solar modules, etc. comprising the SPWPS	
64	RFS	19.6	Page 23 of 106	19.6 The response to RFS shall be submitted as mentioned in Clause 16 of the RFS. No change or supplemental information to a response to RFS will be accepted after the scheduled date and time of submission of response to RFS. However, JREDA reserves the right to seek additional information from the Bidders, if found necessary, during the course of evaluation of the response to RFS.	19.6 The response to RFS shall be submitted as mentioned in Clause 18 of the RFS. No change or supplemental information to a response to RFS will be accepted after the scheduled date and time of submission of response to RFS. However, JREDA reserves the right to seek additional information from the Bidders, if found necessary, during the course of evaluation of the response to RFS.	Please amend the clause No. as 18.		The clause 19.6 is amended as follows: The response to RFS shall be submitted as mentioned in Clause 18 of the RFS. No change or supplemental information to a response to RFS will be accepted after the scheduled date and time of submission of response to RFS. However, OREDA reserves the right to seek additional information from the Bidders, if found necessary, during the course of evaluation of the response to RFS.
65	RFS	20 Non-Responsive bid	Page 23 of 106	(c) Non-submission of correct, valid and operative Pass-Phrases for both Technical and Financial Bid (Price Bid) Parts after the deadline of Bid Submission, and before the commencement of the Online Tender Opening Event (TOE) of Techno-Commercial Bid.		Please delete this point or clarify the same.	The clause is deleted	
66	RFS	21 Method of Submission of Response to RFS by the bidder	Page 24 of 106	21 Method of Submission of Response to RFS by the Bidder 21.1 Documents to be Submitted Offline (In Original) The bidder has to submit original of following documents offline. iii. Pass- phrases for Techno-commercial and Financial bids submitted on the E-procurement portal.		Please remove this point	The clause is deleted	
67	RFS	The bidding envelope shall contain the following sticker	Page:25 of 106	Cumulative Capacity of the projects applied for No s. No. of Projects Bid for Organization ID (OID) on e-procurement portal		Please clarify this point for the sticker:	The bidder needs to mention the cumulative capacity of the project it is bidding for, on the main envelope of the bid document	Amendment sticker format issued
68	RFS	I. Technical Bid (First Envelope)	Page:26 of 106	Submission of Pass-phrases: In line with Clause 17.7 and Annexure-B, the Bidder shall be required to submit the Pass-Phrase to decrypt the relevant Bid-part is submitted into the 'Time Locked Electronic Key Box (EKB)' after the deadline of Bid submission, and before the commencement of the Online Tender Opening Event (TOE) of Technical bid.		Please remove this clause	The clause is deleted	
69	RFS	II. Financial Bid (Second Envelope)	Page:26 of 106	II. Financial Bid (Second Envelope) a) Bidders shall submit the single Financial Bid containing the scanned copy of following document(s): I. Covering letter as per Format 7.10 of the RFS ii. Duly signed and stamped strictly as per price bid Format 7.16 of the RFS.	i. Covering letter as per Format 7.10 of the RFS ii. Duly signed and stamped strictly as per price bid Format 7.16 of the RFS	Please clarify where this document will be uploaded as in portal there is only Excel file allowed in financial bid.	The bidder has to download the price bid (in excel format) from https://www.tenderwizard.in and filled price bid to be uploaded in the same portal	
70	RFS	31 Insurance	Page 30 of 106	A. Insurance		It is requested to consider following:- 1)for any case of insurance claim, the beneficiary shall inform the vendor within 15 working days along with FIR copy from local police station. 2)The pumps damaged due to sandy water shall not consider.	Bidders request is accepted	
71	RFS	35 Warranty and Maintenance	Page 31 of 106	35 Warranty and Maintenance The complete Solar Photovoltaic Water Pumping System and display board / Name Plate (OREDA's will provide the details) shall be warranted and maintained for 05 years from the date of installation. The maintenance service provided shall ensure proper functioning of the system as a whole. All preventive/routine maintenance and breakdown/ corrective maintenance required for ensuring maximum uptime shall have to be provided by the Contractor.	Please amend this clause so that any unauthorized changes done by the beneficiary will not cover in the warranty in warranty clause only manufacturing defects will be covered.	It is requested to kindly consider that: Any unauthorized changes or alteration to the installation will cease the warranty for the remaining period of CMC. This clause was considered in Phase-1 tender of PM-KUSUM scheme (through amendment.)	Follows condition is further added to clause - 35 : Any unauthorized changes or alteration to the installation by the beneficiary will cease the warranty for the remaining period of CMC.	
72	RFS	39 Roles and Responsibilities of OREDA as an Implementation Agency	Page 32 of 106	39 Roles and Responsibilities of Implementation Agency.	additional Point	It is requested to add following points: 1) Ensure the timely payment to vendors RFS as per the terms and condition of the document	OREDA shall make payments to vendors within 30 days from the date of submission of invoices, subject to receipt of fund from MNRE or OLIC	
73	RFS	41	Page No. 37 of 106	iv. Detailed technical parameters of the Pumps to be met by Vendors as at Annexure-A. The Bidders shall strictly comply with the technical parameters detailed in the Annexure-A. Further, the provisions as contained in the O.M. dated 10.03.2021 issued by MNRE on the subject "Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement of Compulsory Registration) Order, 2019 Implementation-Reg." and its subsequent amendments and clarifications issued until the bid submission deadline, shall be applicable for this RFS. The modules used in the Project under this RFS should have been included in the List-I under the above Order, valid as on the date of invoicing of such modules.		Please clarify the case that may arise; if particular model of solar panel gets removed from the list at the time of invoicing. As the list of modules of particular make is maintained by respective module manufacturer.	The bidder needs to refer updated list of ALMM issued by MNRE on 28th September 2023 and subsequent revisions to it.	
74	RFS	46	Page 42 of 106	OREDA reserves the right for the variation of allocated SWPs quantity. Further, in case a Vendor is not able to supply quantity allocated to them as per scheduled timelines, OREDA reserves the right to shift the part/full quantity to another Vendor, who has matched the price.		Since there is no quantity allocation criteria under market mode, there kindly delete this clause.	Tender condition shall prevail	
75	RFS	47 Validity of discovered prices for each category	Page 42 of 106	47 Validity of discovered prices for each category In order to allow Vendors sufficient time to implement SPWPS based on the prices discovered under this tender, all prices discovered under this tender will remain valid for 24 months from the date of opening the price bids, which will be announced by OREDA. Within this 24-month period, empaneled vendors have no right of refusal to complete the allocated work.		we suggest that price should be asked for 12 months only	The clause is amended as follows: 47 Validity of discovered prices for each category in order to allow Vendors sufficient time to implement SPWPS based on the prices discovered under this tender, all prices discovered under this tender will remain valid for 12 months from the date of opening the price bids, which will be announced by OREDA. Within this 12-month period, empaneled vendors have no right of refusal to complete the allocated work.	Tender condition shall Prevail
76	RFS	Format 7.6 FORMAT FOR FINANCIAL REQUIREMENT	Page 67 of 106	Note: (i) Along with the above format, in a separate sheet on the letterhead of the Chartered Accountant's Firm, provide details of computation of Net Worth and Annual Turnover duly certified by the Chartered Accountant. (ii) Certified copies of Balance sheet, Profit & Loss Account, Schedules and Cash Flow Statements are to be enclosed in complete form along with all the Notes to Accounts.		Last 3 Financial year data require for the financial data Please clarify that whether the bidder has to submit the CA certificate for note i) & ii) both separately along with the format 7.6	Bidder needs to submit net worth certificate duly certified by Chartered Accountant. In regards to Balance sheet the bidder can submit audited annual account	
77	RFS	Format 7.6 FORMAT FOR FINANCIAL REQUIREMENT	Page 67 of 106	The Bidder, with the support of its Affiliates, (strike out if not applicable) is fulfilling the minimum Net Worth criteria, by demonstrating a Net Worth of Rs. Cr. (... in words) as on the last date of Financial year 2021-22.		Kindly correct the last financial year, 2022-23 in place of 2021-22.		Necessary amended to FORMAT 7.6 is done as follows: The Bidder, with the support of its Affiliates, (strike out if not applicable) is fulfilling the minimum Net Worth criteria, by demonstrating a Net Worth of Rs. Cr. (... in words) as on the last date of Financial Year 2022-23.
78	RFS	Format 7.12 DECLARATION FOR THE LOCAL CONTENT	Page 88 of 106	Format 7.12 DECLARATION FOR THE LOCAL CONTENT	In the given format at 7.12 the option of signing of a practicing cost accountant or practicing chartered accountant is not mentioned we request to please mention the same also mention the UDIN No. of the Auditor who is certifying the format.	-		Revised format at 7.12 is attached
79	RFS	Format 7.14	Page 90 of 106	We are agreeing to accept that the test certificates are to be submitted to the Implementing Agency, reports as per MNRE technical specifications and testing procedures issued in 2019 and amendments thereof, will be submitted by us within 30 days of issuance of Letter of Empanelment by implementing Agency. In failure of which our empanelment will stand cancelled, without any prior intimation. These certificates shall be submitted either in original form or attested copy by the issuing test lab.		We request to you, Test reports as per the MNRE's revised technical specifications and testing procedures issued in 2023 (latest) and amendments thereof, will be submitted by us by 31.10.2023 or before issue of LoA, whichever is later.	Bidders can submit test reports as per the MNRE's revised technical specifications and testing procedures issued on 17th February 2023	

	80	RFS	Format 7.15	Page 91 of 106	Format 7.15 CERTIFICATE REGARDING COMPLIANCE OF Meity NOTIFICATION VIDE FILE NO. 1(10)/2017-CLEsdt. 02.07.18		In the given format 7.15, the option of signing of Statutory Auditor or Cost Auditor is not mentioned. Kindly confirm, if it is required along with UDIN No.		Revised format at 7.12 is attached
	81	RFS	Format 7.15	Page 92 of 106	Format 7.15 FORMAT FOR SUBMISSION OF PRICE BID		Kindly correct the format 7.15, it should be 7.16 in place of 7.15	Bidders understanding is correct this is 7.16	
	82	RFS	Price bid Schedule	Page 94 of 106	(To be submitted on the Letter Head of the Bidder/ Lead Member of Consortium) The excel file annexed as Annexure-D of the RFS shall be used for entering the price bid. Signed and scanned copy of the same will be required to be uploaded on the portal)		Kindly provide the price bid schedule and where it will upload in the portal? Because online portal only allows BOQ in excel format.	The bidder has to download the price bid (in excel format) from https://www.tenderwizard.in and filled price bid to be uploaded in the same portal	
	83	suggestion	Additional points	-	-	The bidder should also submit local GST no. registration for Jharkhand State at the time of bid submission.	-	The bidder needs to submit local GST no. for the state of Odisha	
Shakti Pumps (India) Limited	84	RFS	SPECIAL INSTRUCTIONS TO BIDDERS FOR e-TENDERING	Page 97 of 106	ISN-ETS/ Helpdesk 1. Telephone/ Mobile 2. Email-ID		Kindly share the Helpdesk Number and e-mail id.	Please refer Section 3, clause 24 for details of concerned persons to be contacted in relation to this Bid	
	85	SECTION 2. SPECIAL CONDITIONS OF CONTRACT	6	17 of 106	Following conditions shall be applicable to the Bidders for submission of bids against this RFS: A Bidder,				Clause 6 is amended as follows: Following conditions shall be applicable to the Bidders for submission of bids against this RFS: • 80% of the overall works will be allocated to Category A Bidders as discovered as L1 bidder. • 20% of the overall works shall be allocated to For Category B Bidders, as per the drawal of lots subject to fulfillment of following conditions: - Category B Bidders accept the L1 price discovered through Category A Bidder. Failure to accept the L1 price shall disqualify Category B bidders. - In the event, none of the Category B Bidders accepts the L1 price 100% of the offered quantity shall be awarded to Category A Bidder. - Drawal of lots shall be carried out until and unless the 20% quantity is not exhausted. - Award of the quantity to Category B Bidder shall be on the basis of its quoted quantity or quantity of works under 20% limit, whichever is less. A Bidder, including its Parent, Affiliate or Ultimate Parent or any Group Company shall submit a single bid. If there are no vendors available, in Category A, in any corresponding package, who have agreed to match the L1 price and circumstances necessitates additional award of work, additional allocation may be done by OREDA as per MNRE approvals. The evaluation of bids shall be carried out as described in Section-5 of the RFS. The methodology for Allocation of SPWPS is elaborated in Section-5 of the RFS.
	86	SECTION 3 STANDARD CONDITIONS OF CONTRACT	11 Bid Processing Fee	18 of 106 All MSMEs (Micro, Small and Medium Enterprises) notified as per clause 1.10.3 of GFR 2017 and as registered under NSIC/DIC/Udyog Aadhaar only are exempted from submission of Bid Processing Fee and EMD. For claiming this exemption, at the time of bid submission, MSMEs must provide valid proof of their being registered as MSME. However, upon empanelment under this RFS, selected MSMEs must submit Performance Bank Guarantee as per clause 12 of section III of RFS.			 All MSMEs (Micro, Small and Medium Enterprises) notified as per clause 1.10.3 of GFR 2017 and as registered under NSIC/DIC/Udyog Aadhaar only, participating in the bid under Category B, are exempted from submission of Bid Processing Fee and EMD. For claiming this exemption, at the time of bid submission, MSMEs must provide valid proof of their being registered as MSME. However, upon empanelment under this RFS, selected MSMEs must submit Performance Bank Guarantee as per clause 12 of section III of RFS.
	87	SECTION 3 STANDARD CONDITIONS OF CONTRACT	18 Instructions to Bidders for Structuring of Bid Proposals in Response to RFS	22 of 106					Covering Letter as per revised Format 7.1
	88	SECTION 3 STANDARD CONDITIONS OF CONTRACT	21 Method of Submission of Response to RFS by the Bidder	26 of 106	<u>Documents to be Submitted Offline (in Original)</u> The bidder has to submit original of following documents offline.				The Clause is amended as follows: The Bidder shall submit the Bid either under Category A or Category B as per the terms of the Bidding Document. Category A i. DD/Pay order or NEFT/RTGS details towards Bid Processing Fee as mentioned in Bid Information Sheet. ii. Bank Guarantee towards EMD as mentioned in the Bid Information Sheet (as per Format 7.3A). One EMD shall be submitted for the cumulative capacity quoted by the Bidder. iii. Power of Attorney as per Format 7.2 A/7.2 B alongwith Board Resolution as per Format 7.4. Category B i. MSME certificate/ Udyog Certificate ii. Power of Attorney as per Format 7.2 A/7.2 B alongwith Board Resolution as per Format 7.4.

89	SECTION 4 QUALIFICATION REQUIRMENTS FOR BIDDERS	40 General Eligibility Criteria	36 of 106	Bidders participating in the RFS will be required to meet the following eligibility criteria (as applicable). The Bidder shall be a Company or a Limited Liability Partnership as defined,					<p>Bidders, in the RFS, will be participating under either of the two categories and are required to meet the following eligibility criteria (as applicable).</p> <p>Category A: Any Bidder who meets the eligibility criteria as per Section 4 (QR) can participate under Category A.</p> <p>Category B: The Bidders who are local MSME and registered under the MSME Development Act, 2006 in Odisha as per Section D, Division 35, Group 351 having NIC 5-digit code of 35105 (Electric power generation using solar energy) and meet the Financial Eligibility Criteria" as per Clause 42</p> <p>Note: A Bidder can either participate under Category A or under Category B. In case a Bidder participates for both Category A and Category B, then such Bids shall be summarily rejected owing to conflict of interest and may be blacklisted from participating in any future bids of OREDA.</p> <p>The Bidder shall be a Company or a Limited Liability Partnership as defined.</p>
90	SECTION 4 QUALIFICATION REQUIRMENTS FOR BIDDERS	41 Technical Eligibility Criteria	38 of 106						The required experience shall not be applicable to Bidders quoting under Category B.
91	SECTION 4 QUALIFICATION REQUIRMENTS FOR BIDDERS	42 Financial Eligibility Criteria	39 of 106						Bidders under category B must have positive Net Worth. Suitable document in support of the same shall be provided by the Bidder
92	SECTION 6 DEFINITION OF TERMS		46 of 106	"BIDDER" shall mean Bidding Company or a Bidding Consortium submitting the Bid. Any reference to the Bidder includes Bidding Company/ Bidding Consortium, Member of a Bidding Consortium including its successors, executors and permitted assigns and Lead Member of the Bidding Consortium jointly and severally, as the context may require.					"BIDDER" shall mean Bidding Company or a Bidding Consortium submitting the Bid under Category A or any Bidding entity registered as MSME and participating in the Bid under Category B. Any reference to the Bidder includes Bidding Company/ Bidding Consortium, Member of a Bidding Consortium including its successors, executors and permitted assigns and Lead Member of the Bidding Consortium jointly and severally, as the context may require.
93	SECTION 3 STANDARD CONDITIONS OF CONTRACT	11 Bid Processing Fees	18 of 106						RFS No. OREDA/TECH/. 2863.../2023-24 Dated 13.09.2023
94									Selected Vendor and OREDA representative should conduct site survey and submit progress report on fortnight basis to OREDA Head Quarter office via PM-KUSUM SEDM Portal Approved by MNRE at https://pmkusum.odisha.gov.in
95									A. Selected Vendor should keep necessary spare parts (minimum 2% of allotted quantity of each component of the complete system at the service center) at each district and should ensure proper maintenance of SPWPS for 5 years from date of installation of each SPWPS. Vendor should comply to the schedule maintenance and corrective maintenance ticket on CRC portal as generated. Vendor should also ensure to provide local training to local persons regarding proper maintenance of SPWPS. Vendor should submit bi-weekly installation report to OREDA as per the prescribed format provided during the installation phase.
96									b. Any complaint registered on CRC /service calls received should be attended at the earliest and the system should be repaired/restored/replaced within 7 days from date of complaint received/informed to the vendor. In case the vendor does not comply to the corrective maintenance and scheduled maintenance OREDA reserves the right to encash the CPG and/or blacklist the vendor for the period 3 years. CRC details are enclosed in Annexure – D.
97									Vendors have to provide the Remote Monitoring System (RMS) with all the SPWPS installed under the scheme. Further, vendor has to maintain the RMS in working condition for the period of 5 years and RMS systems shall push the accurate data of the parameters as specified in the specification and guidelines attached as Annexure – E, failing which the installation of the system will not be accepted by OREDA.